66001 - 66002 **Brick trowels**

Type Blade made of hardened steel, tapered ground, with

Stainless steel.

66001

102

101

S-neck, lacquered beechwood handle. DIN 6441 C.

Blade width

mm

85/115

95/125



stainless

etainless



66003 - 66004 Brick trowels, Bern model

66004 Blade made of hardened steel, tapered ground, with

Stainless steel.

straight neck, lacquered beechwood handle.

DIN 6441 A

Blade length

mm

160

180

)
	-	

				Stanness	
Blade length	Blade width	66003		66004	
mm	mm				
140	85/60		101		101

66007 Cat's tongue trowels

Type Blade made of hardened steel, tapered ground, with S-neck, lacquered beechwood handle.

Quality Stainless steel.

66007 101



66003

66008 - 66009 Plasterer's trowels

Blade width

mm 55

66009 Blade made of hardened steel, tapered ground, with

Blade width

 $\mathbf{m}\mathbf{m}$

50

60

80

Stainless steel.

straight neck, lacquered beechwood handle.

DIN 6441 C. Blade lenght

mm

93

98

110

Blade length mm

66008		stainless 66009	
#	101		101
#	102		102

103

103



Plastering trowels 66020 - 66021

Blade made of hardened steel, 0,7mm thick,

66021

rivetless, with LM-support and curved, lacquered beechwood handle. DIN 6439.

Stainless steel.



66020

				Stalliless	
Blade length	Blade width	66020		66021	
mm	mm				
280	130		101		101

66025 **Float**

Plastic foamed, ivory colour, board and handle made of one piece, without coating.

Length	Width	66025	
mm	mm		
280	140	#	101



66025

66027 Float pads

Type Rubber.

Width	Lenght	66027	
mm	mm		
280	140	#	101





66216

Japan Surface Scraper

Type

High-flexible steel, hardness II, 0,31 mm thick. With acid-resistant plastic back

Width	66216	
50 mm		101
100 mm		102
Set 4-part 50, 80, 100, and 120 mm		103



66218 **Spatula**

Type

Blade made of electro-steel, with flat-oval wooden handle, tapered ground, with attachment eye.

Blade width mm	66218	
30		101
40		102
50		103
60		104
80		105
100		106



Wall scrapers 66219

66219

66270

66216

66218

Type

Stainless steel, high gloss polished, flexible blade, tapered ground, plastic handles with suspension

Blade width mm	66219	
30		101
40		102
50		103
60		104
80		105
100		106



66270

Plaster Mixing Bowl

www.hhw.de Fax order hotline: +49 6204 739-1217

Made of special soft-PVC, bowl-shaped. Hardened plaster can be removed easily by squeezing the sides of the elastic bowl together.

Dimension	66270	
m	m	
125 x 9	0	101



SAFETY FIRST! The current PSA catalogues

66275 - 66276 Radiator / small paint roller

Type

- Rollers with plug cap
- Bracket of galvanised wire, Ø 6 mm
- Plastic handle
- Solvent-resistant

66275

Perlon rollers

- Cover seamless, spiral-shaped

Moltopren rollers

- Straight, cut from the block

		Perlon	Moltopren	
	Width	66275	66276	
	mm			
Roller with handle	100	101		101
Replacement roller, single	100	102		102






66280 **Paint Tray**

Type

- Hostalen, unbreakable and solvent-resistant





66285 **Brush Assortment**

66285 101 Contents:

66285 102 Contents:

- 3 Round brushes - 3 Flat brushes
- 3 Round brushes - 5 Flat brushes
- 2 Radiator brushes
- Contents 66285 101 6-piece 10-piece 102





66288 Modler

Type

- Light, pure bristles

Brush width

approx. mm

- Sheet metal clamp
- Basswood handle, I. Thickness

66288	 - Add

66288

66289 - 66290 Flat Brush and Radiator Brush

Bristle length

approx. mm

66289

Flat brushes

Type

- With short handle

- Straight type

- Light, pure bristles

66290 Radiator Brush

Type

- With 40 cm handle

- Angled shape
- Sturdy, grey China bristles





Flat brushes

	66289	Bristle length approx. mm	Brush width approx. mm
		арргол ппп	аррголі інні
101		45	35
102		45	50
103		50	70

Brush width approx. mm	Bristle length approx. mm	66290	
35	45		101
50	45		102
75	50		103

Round Brush 66293

- Universal round brush
- Wooden handle with hang-up hole
- Bristles enclosed in plastic capsule
- Rounded tip
- Light, clean bristles, enclosed without metal.



Size	Brush Ø mm	Bristle length mm	66293	
2	20	58		101
4	25	65		102
6	30	68		103

Size	Brush Ø mm	Bristle length mm	66293	
8	35	73		104
10	40	77		105


Soft PVC adhesive tape

Type

- Cross-grooved
- UV-resistant
- Adhesive coating can be completely stripped off
- Colour yellow

Use

Especially for surfaces exposed to the sun and anodised metal surfaces.





66295

66296

66301

66295

Adhesive tape

Туре

- Mesh-Reinforced PE Adhesive tape
- Pigmented rubber adhesive with high adhesive force for virtually all substrates

Length


m

50

- Colour silver-grey, black

Use

The standard tape for taping pipes and aeration vents, for fixating foil on metal, plastics, plaster, and concrete. For temperatures from -20°C - +80°C.



50

Width

mm

Masking tape

Type

- Best painter quality
- Heat resistant to 80°C

66296

- Moisture-resistant

	66296	
m		
50		101
50		102
50		103
	50 50	50 50

Width	Length	66296	
mm	m		
38	50		104
50	50		105



66300

66300 - 66301

Marking Cord Rollers/Powder Paint

66300

Marking cord roller

- With 15 m plumb line in the housing and roll-up crank
- Can also be used as plumb bob

66301 Powder colour.

Powder colour.



101



		Marking Cord Holler	Cold	our Powder	
Colo	ur Contents	66300		66301	
	g				
			101		
BI	ue 100				101
R	ed 100				102

66306 Plumb Bob

Туре

- Made of steel
- With brass knob

Weight	66306	
g		
250		102
500		104



66306

66307

Plumb Line

Туре

- Polyethylene
- 14 kg tearing force
- Colour red

Length	Ø	66307	
m	mm		
50	1		



66307



66500 - 66508 **Shovels**

Diamond Pioneer Shovel

Type

- Sheet steel, hardened
- Red powder-coated

66500

Frankfurt shovel

- Made in Germany

66503

Holstein shovel

- Made in Germany

66508

Shovel handle

- Ash wood bent, 1. Quality
- DIN 20151
- Surface ground



		Frankfurt shovel	Holstein shovel		Shovel handle	
Blade dimensions	Handle length x Ø	66500	66503		66508	
mm	mm					
300 x 270	-	1	01			
270 x 250	-			101		
	1300 x 40					101

66525



Type

- Double-spring spade
- Extraordinary resistant to wear
- Blade conically rolled, from a single piece

- Resharpens itself in use

- With double-riveted ash wood T-handle
- Gardener shape
- Made in Germany

Quality

Sandblasted



Blade dimensions	Handle length	66525	
mm	mm		
285 x 185	850		101

Mattock (pickaxe) 66526 - 66527

Spades

66526 Mattock

Type

- DIN 20109

- Steel, forged and hardened

- With oval eye
- Without handle

66527

Pick mattock handle

Type

- Ash wood
- Flat oval
- Quality **DIN 6437**



66527

	Handle		Mattock			
	66527		66526	Weight approx. kg	Overall length mm	Mattock width mm
		201		3,0	565	60
101				-	950	•

66528 **Dustpans**

Type

- Robust sheet-steel shower with wooden handle

For commercial and industrial use.

Туре	Size	66528
	mm	
black lacquered	220 x 200	
Galvanised	220 x 200	





... your wishes come true.



66528

66529 **Hand Broom**

Type

Straight wooden body, with rounded handle edges, four rows, trim height approx.75 mm.

66529 101

With coco bristles, natural. Unlacquered wood. For dry and coarse dirt.

66529 103

Long-handle hand brush

With coco bristles, natural. Unlacquered wood. For dry and coarse dirt.

66529 102

Industrial hand brush

Fine quality composition, unpainted wood. For fine dirt.

Туре	Length mm	66529	
Coco bristles	280		101
Coco bristles	450		103
Quality mix	280		102



66530 - 66533

Hall and Workshop Brooms

Type

Wooden bodies, flat shape, rounded, with firm mounted POWER-STICK-handle holder. Superquick assembly of all common wooden handles, secure seat thanks to conically shaped handle

66530

Coco,

for dry floors.

66531

Arenga,

for coarse dirt, high wet-strength. Long service life.

66532

for coarse dirt,oil and alkaline resistant. For concrete, industrial, and wooden floors.

Fine quality, composition,

arched bristle shape. For fine dirt.

	Coco		Arenga		Elaston	C	uality mix	
Wood size mm	66530		66531		66532		66533	
400 x 55		101						101
500 x 55				102				
600 x 55		103				103		





66535

Street Broom

Type

Coarse, solid street broom with red, strong Elaston-

fibre bristles.

ristle length	Width	Fill	66535
mm	mm	rows	
100	400	6 x 18	



66537

Broom handle

Type

Branch-free pinewood, ground, straight handle end.

Ø Length 66537 mm mm 1400 24 101

66545

Construction Bucket

Made of high-strength polyethylene, galvanised handles, low base, black, with litre scale.

Contents I	Size Ø mm	Height mm	66545	
12	310	235		101



66545

66537

66535

66546

Metal bucket

Туре

Galvanised, especially robust version, reinforced handle.

Contents I	66546	
10		101



= partly extent in stock

66546